



UNIVERSITI PUTRA MALAYSIA

**AMELIORATION OF VOLCANIC SOILS FROM CAMIGUIN ISLAND
(SOUTHERN PHILIPPINES) USING NATURAL AMENDMENTS**

RENATO D. BONIAO

FP 2000 7

**AMELIORATION OF VOLCANIC SOILS FROM CAMIGUIN ISLAND
(SOUTHERN PHILIPPINES) USING NATURAL AMENDMENTS**

By

RENATO D. BONIAO

**Thesis Submitted in the Fulfilment of the Requirements for
the Degree of Doctor of Philosophy in the Faculty of Agriculture
Universiti Putra Malaysia**

June 2000



DEDICATION

This work is dedicated to my wife

Linda

And to

Our three wonderful children Emman, Dandan, and Davi

Abstract of thesis presented to the Senate of Universiti Putra Malaysia in
fulfilment of the requirements for the degree of Doctor of Philosophy

**AMELIORATION OF VOLCANIC SOILS FROM CAMIGUIN ISLAND
(SOUTHERN PHILIPPINES) USING NATURAL AMENDMENTS**

By

RENATO D. BONIAO

June 2000

Chairman : Prof. Dr. J. Shamshuddin
Faculty : Agriculture, Universiti Putra Malaysia
Co-chairman : Prof. Dr. E Van Ranst
Faculty : Sciences, Ghent University

Cultivated and uncultivated soils along the footslopes of Mt. Hibok-Hibok volcano, down to the nearby coastal areas were examined to assess the effects of cultivation on their chemical fertility characteristics. Some selected soils were incubated for 9 months with natural amendments (calcium silicate, ground basaltic pyroclastics, and peat) to determine whether addition of these materials can improve soil surface charge properties, particularly point of zero charge (pH_0) and cation exchange capacity (CEC). Effects of adding the amendment materials on plant growth were investigated with maize as test crop in a glasshouse experiment.

The results showed that cultivated soils have lower % organic carbon (O.C) content and subsequently lower CEC compared to the uncultivated ones. Cultivation also raised pH_0 . Adding peat reduced pH_0 , increased the CEC, and improved their ion retention. Adding basaltic pyroclastics showed promise to improve the charge properties of the soils but as an amendment material, a longer incubation time was needed to detect some influence on the soil. Calcium silicate, on the other hand, gave an extremely high pH_0 and pH. The high values were presumably because the rate applied was too high, which resulted in silicic acid precipitation. Plant response to the amendments (peat and basalt pyroclastics) showed that nutrient uptake was positively related to an improved ion retention of the soils. It also showed that relative heights and weights were linearly correlated with cations concentration in the soil solution.

Abstrak tesis yang dikemukakan Senat Universiti Putra Malaysia
sebagai memenuhi keperluan untuk ijazah Doktor Falsafah

**AMELIORASI TANAH VOLKANIK DARIPADA PULAU CAMIGUIN (FILIPINA
SELATAN) DENGAN MENGGUNAKAN PEMBAIK ASLI**

Oleh

RENATO D. BONIAO

June 2000

Pengurus : **Prof. Dr. J. Shamsuddin**

Fakulti : **Agriculture, Universiti Putra Malaysia**

Pengurus-bersama : **Prof. Dr. E Van Ranst**

Fakulti : **Sciences, Ghent University**

Tanah vulkanik daripada kawasan hutan dan pertanian di sepanjang kaki Mt. Hibok-Hibok ke kawasan pantai telah dikaji untuk menilai kesan penanaman ke atas ciri kesuburan kimia tanah tersebut. Berberapa tanah terpilih telah diram selama 9 bulan dengan pembaik asli (kalsium silikat, piroklastiks berbasalt dan tanah gambut) untuk menentukan samada aplikasi bahan tersebut membaiki sifat cas permukaan, terutama titik cas sifar (pH_0) dan keupayaan pertukaran kation (KPK) tanah. Kajian rumah kaca juga dilakukan untuk menilai kesan bahan tersebut ke atas tumbesaran jagung.

Keputusan menunjukkan tanah pertanian mempunyai lebih rendah peratusan karbon organik (K.O.) dan KPK berbanding dengan tanah hutan. Kegiatan pertanian menyebabkan kenaikan pH_0 . Tanah gambut telah menurunkan pH_0 , menaikkan KPK dan memperbaiki pegangan ion. Piroklastiks berbasalt menunjukkan kecenderungan memperbaiki sifat cas tanah, walau bagaimanapun ia memerlukan masa yang lebih lama untuk dikesan manfaatnya. Sebaliknya, kalsium silikat menaikkan pH_0 dan pH terlampau tinggi. Nilai yang tidak munasabah ini berkemungkinan disebabkan oleh kadar kalsium silikat yang digunakan terlalu tinggi sehingga mengakibatkan presipitasi asid silisik. Tindak balas tanaman terhadap pembaik tanah (tanah gambut dan piroklastiks berbasalt) menunjukkan pengambilan nutrien oleh tanaman berkait secara positif dengan penambahan pegangan ion tanah. Data menunjukkan ketinggian dan berat relatif tanaman berkorelasi linear dengan beberapa kation di dalam larutan tanah.

ACKNOWLEDGEMENTS

I wish to thank the Flemish Inter-University Council (V.I.R.), Belgium through the ITC-UPM Ph.D. Twinning Programme for the financial support which made my study in Belgium and in Malaysia possible. The administrative support of the Mindanao State University (Philippines) under the former Administration (Dr. Emily M. Marohombsar) and under the present Administration (Dr. Camar A. Umpa) is also gratefully acknowledged.

Also, the completion of this thesis would have been impossible without the help of so many kindhearted individuals. To them I am hugely indebted. I have no way of repaying such a debt except to express my sincerest gratitude.

To my promoters, Prof. Dr. J. Shamshuddin, Deputy Dean, Faculty of Agriculture, UPM, Malaysia, and Prof. Dr. E. Van Ranst, Director, Laboratory For Soil Science, ITC-UG, Belgium, for their invaluable guidance throughout the study, from its conception to its final form. To the former, for making sure that we lack nothing that we need in the laboratory. With him around, we, his students, felt there was nothing we could not overcome even when the going became very tough. To us, he is The Professor at UPM without equal. To the latter, of whom I will always remember as my Professor par excellence, for the ready answers to my questions, for the analyses he kindly consented to

be done at his laboratory in Ghent, and most importantly his support and encouragement.

To Assoc. Prof. Dr. Siti Zauyah Darus, Head of the Department of Land Management, Faculty of Agriculture, member of the Supervisory Committee, for the important lessons in thin-section preparation and description. She was also generous in allowing us to use her laboratory in the preparation of thin-sections even if we messed it up a bit. We also appreciated her effort of buying a new printer just so we can beat the GSO deadline when printing became a problem.

To Dr. Syed Omar Syed Rastan, member of the Supervisory Committee, for those valuable consultation hours and guidance in the conduct of the pot experiment. There were also few words of encouragement from those sessions, and I was always grateful for the time spent with him.

To Prof. Dr. G. Stoops, Director of ITC-Ghent, also the Director of the ITC-UPM Twinning Programme, for bearing with us even maybe for those unreasonable request. To us his students, he was always the kindly Professor we loved to hear teaching. There was no question in soil science too elementary for him not to give us an answer. We are not only grateful to be associated with him, we are proud too to be under the instructions of one who is considered a pillar in the field of soil science. To Dr. Anuar Rahim for the knowledge he shared on statistical analyses, particularly on SAS. Dr. Che

Fauziah Ishak for clarifying some bugging chemistry problems encountered in the study.

To Dr Rosa Estoista for her help in the collection of soil samples, a vital segment of the study. Despite the extremely unfavorable conditions of the sampling site, Dr. Bing never hesitated to come and give her most needed help. The effort is humbly recognized and deeply appreciated. To Dr. Ruben Amparado for the camera he so willingly lent, my sincerest thanks. Likewise, deepest gratitude is also expressed to Cres Loquellano of PAO Camiguin and his friends for their ever willingness to help in the collection of soil samples.

To Somjate Pratummintra and Dian Fiantis, my colleagues and friends whose drive for excellence rub a bit on me. To Somjate who taught me some lessons on friendship without saying a word about it. Just demonstrated it. Without his help in the analyses of data, and staying awake through many nights more than I do for the preparation of graphs and tables, and prodding me to go on when it was almost impossible, this thesis would have been still on the table. I salute the man. To Dian, who, despite being saddled herself with laboratory works and deadlines, yet still managed to lend unselfishly her time and effort to help and to do some analyses for me at the University of Ghent. Terima kasih puan. To Bapa Fauzi for being a good company since our Belgium time and for being so kind in helping me in the micromorphology description of my thin-sections.

My colleagues and friends in the Laboratory, especially Cece, Muhrizal and Enita for the thousand and one helps they accorded me during those almost three long years of laboratory works. I will surely miss their company. To Nelson for taking those excellent pictures at the glasshouse.

To the Staff of the Jabatan Pengurusan Tanah for the warm reception, thus, making our student life bearable. Special mention to 'Kak Nomi who never say no to a request.

To the Filipino Community in UPM for the moral support and company it provided. Special mention to Cai cai who scour every nook and cranny of Manila to find maps for me. With the expressed bond and friendship of the people of this Community at your side, you would feel capable of doing anything even becoming a President of the UPM International Student Association.

Finally to my wife and children, our mothers, brothers and sisters whose love and trust carried me through this far. So with my family in the Lord who uphold me in their prayers. Above all, to the Lord God the author and finisher of all things, all praise and glory unto Him.

I certify that an Examination Committee met on June 9, 2000 to conduct the final examination of Renato D. Boniao on his Doctor of Philosophy thesis entitled "Amelioration of Volcanic Soils from Camiguin Island (Southern Philippines) Using Natural Amendments" in accordance with Universiti Pertanian Malaysia (Higher Degree) Act 1980 and Universiti Pertanian Malaysia (Higher Degree) Act 1981. The committee recommends that the candidate be awarded the relevant degree. Members of the Examination Committee are as follows:

WAN SULAIMAN WAN HARUN, Ph.D.

Professor/Director, Center for External Program
Faculty of Agriculture, Universiti Putra Malaysia
(Chairman)

SHAMSHUDDIN JUSOP, Ph.D.

Professor/Deputy Dean
Faculty of Agriculture, Universiti Putra Malaysia
(Member)

ERIC VAN RANST, Ph.D.

Professor
Faculty of Sciences
Ghent University, Belgium
(Member)

SITI ZAUYAH DARUS, Ph.D.

Associate Professor/Department Head
Department of Land Management
Faculty of Agriculture, Universiti Putra Malaysia
(Member)

SYED OMAR SYED RASTAN, Ph.D

Department of Land Management
Faculty of Agriculture, Universiti Putra Malaysia

RANJITS B. MAPA, Ph.D.

Professor of Soil Science
Faculty of Agriculture,
University of Peradeniya
Sri Lanka
(External Examiner)




MOHD. GHAZALI MOHAYIDIN, Ph.D.

Professor/Deputy Dean of Graduate School,
Universiti Putra Malaysia

Date: **24 JUN 2000**

This thesis submitted to the Senate of Universiti Putra Malaysia and was accepted as fulfilment of the requirements for the degree of Doctor of Philosophy.




KAMIS AWANG, Ph.D.
Associate Professor
Dean of Graduate School,
Universiti Putra Malaysia

Date: **13 JUL 2000**

I hereby declare that this thesis is based on my original work except for quotations and citations which, have been duly acknowledged. I also declare that it has not been previously or concurrently submitted for any other degree at UPM or other institutions.

signed



Candidate.

RENATO D. BONIAO

Date: **24 JUN 2000**

TABLE OF CONTENTS

	Page
DEDICATION	ii
ABSTRACT	iii
ABSTRAK	v
ACKNOWLEDGEMENTS	vii
APPROVAL SHEETS	xi
DECLARATION FORM	xiii
LIST OF TABLES	xviii
LIST OF FIGURES	xxi
LIST OF PLATES	xxiv
CHAPTER	
I INTRODUCTION	1.1
General Introduction	1.1
Objectives	1.5
 II PHYSICAL ENVIRONMENT	 2.1
Geographical Location	2.1
Climate	2.1
Geology	2.6
Physiography and Soils	2.9
Land Use and Vegetation	2.10
 III LITERATURE REVIEW ON VOLCANIC SOILS AND CHEMICAL PROPERTIES OF VARIABLE CHARGES SOILS	
Introduction	3.1
Distribution of the Volcanic Soils in the Philippines	3.2
Chemical Properties of Variable-Charges Soils	3.3
Sources of Charge on Soil Colloid Surfaces	3.4
Application of the Double Layer Theory to the Constant Charge and Constant Potential Systems	3.12
Surface Variable Charges and Cultivation	3.18
Management Implication	3.28
Raising Soil pH	3.30
Decreasing pH ₀	3.31

IV	MATERIALS AND METHODS	
	Soils for the Study	4.1
	Soil Sampling	4.1
	Methods of Analyses	4.4
	Routine Physical Analyses	4.4
	Routine Chemical Analyses	4.6
	Selective Dissolution Analyses	4.8
	Total Elemental Analyses	4.10
	Specific Analyses	4.11
	Analytical Determination of Charge Properties	4.12
	Laboratory Incubation Study	4.16
	Materials	4.16
	Details and Specific Preparation for Each Material	4.17
	Collection of Data	4.18
	Experimental Layout and Design	4.19
	Pot Experiment	4.19
	Materials	4.19
	Methods	4.20
	The Test Crop	4.21
	Collection of Soil Solution	4.21
	Analyses of Soils	4.22
	Growth Measurement and Tissue Analyses	4.22
	Experimental Layout and Design	4.23
V	RESULTS AND DISCUSSION	5.1
	Soil Morphology, Mineralogy and Classification	5.1
	Field Properties	5.1
	Micromorphological Characteristics	5.5
	Mineralogy of the Sand Fraction	5.8
	Clay Mineralogy	5.12
	Soil Classification	5.20
	Physico-chemical Properties and Surface Charges and their Changes with Cultivation	5.25
	Soil Texture	5.25
	Bulk Density	5.26
	Organic Matter	5.29
	Effect of Cultivation on Organic Carbon (O.C) Content	5.33
	Soil Acidity	5.34
	Cation Exchange Capacity (CEC) and Effective CEC (ECEC) by NH_4OAc	5.42

Charge Properties.....	5.46
Cation and Anion Exchange Characteristics.....	5.51
Changes in Soil Chemical Properties with Peat, Ground Basalt and Calcium Silicate Incubation	5.55
General Properties of the Soil Prior to Incubation.....	5.57
Chemical Properties After Incubation.....	5.58
Surface Charge Properties.....	5.61
Cation and Anion Exchange Characteristics.....	5.70
CEC and AEC at Soil pH	5.73
Growth of Corn on Volcanic Soils Incubated with Peat and Ground Basaltic Rock	5.76
Concentration of Ions in the Solution	5.77
Sum of Basic Cations in Soil Solution.....	5.87
Soil Solution Anion Concentration during the Corn Growth Period	5.89
Nutrient Concentrations in Plant Tissue.....	5.93
The Effect of Amendments on Corn Growth.....	5.96
Cation Exchange Capacity of the Soil After Planting	5.102
 VI SUMMARY AND CONCLUSIONS	 6.1
 REFERENCES	 R-1
Appendix A.....	A.1
Appendix B.....	B.1
Appendix C.....	C.1
Appendix D.....	D.1
Appendix E.....	E.1
BIODATA.....	Bi.1

LIST OF TABLES

Table		Page
2.1	Climatic Data for the Year 1990.....	2.6
3.1	Organic Matter Content and Mineralogical Composition of the Soils (Baert, 1995).....	3.23
3.2	Selected Surface Charge Properties of the Lower Zaire Soils (Baert, 1995).....	3.23
4.1	Brief description of the study area within the Camiguin Island, Southern Philippines	4.3
5.1	Mineralogy of Sand Fraction	5.9
5.1	Mineralogy of Sand Fraction (Continued)	5.10
5.2	Classification of the Studied Soils.....	5.21
5.3	Identification of the Diagnostic Surface Horizon According to Soil Taxonomy... (Soil Survey Staff, 1996).....	5.21
5.4	Information on the Requirements for Argillic and Cambic Horizons... (Soil Survey Staff, 1996).....	5.22
5.5	Definition of Andic Properties in the Keys to Soil Taxonomy (Soil Survey Staff, 1996).....	5.24
5.6	Soil Texture and Bulk density of the Studied Soils.....	5.28
5.7	Percent Organic Carbon (O.C) pH and Δ pH of the Studied Soils.....	5.32
5.8	Allophane Content and Al/Si Ratio of the Studied Soils....	5.37



Table		Page
5.8	Allophane Content and Al/Si Ratio of the Studied Soils (Continued).....	5.38
5.9	Cation Exchange Capacity and Exchangeable Capacity of the Studied Soils.....	5.45
5.10	Organic Carbon (%), Soil pH and pH_0 in the Studied Soils.....	5.48
5.11	Charge Properties of the Studied Soils.....	5.51
5.12	Charge properties at Soil pH and pH_0 in Soil 2 (B)	5.52
5.13	CEC_T , CEC_B and AET of pH_s 4 and 6.....	5.54
5.14	Total Elemental Composition of Peat, Basaltic rock ,and the Soils used in the Study.....	5.57
5.15	Selected Physico-chemical Properties of the A Horizon of the Studied Soils.....	5.58
5.16	CEC_{NH_4OAc} and CEC_{CE} of the Studied Soil after Nine Months of Incubation.....	5.59
5.17	Soil pH and pH_0 of Soil 2 After Three, Six and Nine Months Incubation.....	5.61
5.18	Permanent Charge in Soil2 and Soil 5 after Three, Six and Nine Months Incubation.....	5.68
5.19	Charge Properties of Soil 2 After Three, Six and Nine Months Incubation.....	5.74

Table	Page
5.20 Charge Properties of Soil 5 After Three, Six and Nine Months Incubation.....	5.75
5.21 Properties of Peat and Ground Basaltic Material.....	5.77
5.22 The Mg Concentration (μM) in Soil Solution during Planting Period, in Soil 2 and Soil 5 Treated With Peat...	5.78
5.23 The Mg Concentration (μM) in Soil Solution During Planting Period, in Soil 2 and Soil 5 Treated With Basalt..	5.79
5.24 The Ca Concentration (μM) in Soil Solution During Planting Period, in Soil 2 and Soil 5 Treated With Peat.....	5.82
5.25 The Ca Concentration (μM) in Soil Solution During Planting Period, in Soil 2 and Soil 5 Treated With Basalt...	5.83
5.26 The K Concentration (μM) in Soil Solution During Planting Period, in Soil 2 and Soil 5 treated with Peat.....	5.84
5.27 The K Concentration (μM) in Soil Solution During Planting Period, in Soil 2 and Soil 5 treated with Basalt....	5.85
5.28 The Na Concentration (μM) in Soil Solution During Planting Period, in Soil 2 and Soil 5 treated with Peat.....	5.86
5.29 The Na Concentration (μM) in Soil Solution During Planting Period, in Soil 2 and Soil 5 treated with Basalt.	5.87
5.30 Anion Concentration (μM) in Soil Solution.....	5.90
5.31 The Percentage of P, N, K, Ca, and Mg in Corn Tissue, planted in Soil 2.....	5.95

Table	Page
5.32 The Percentage of P, N, K, Ca, and Mg in Corn Tissue, planted in Soil 5.....	5.95
5.33 The Height of Corn in Soil treated with different Rates of the Basalt and Peat.....	5.97
5.34 Fresh and Dry Biomass of Corn in Soil Treated with Different Rates of Amendment Materials.....	5.99
5.35 CEC and Exchangeable Cation of Soils Treated with Peat and Basalt after Planting.....	5.105

LIST OF FIGURES

Figure		Page
2.1	Location Map of Camiguin Island, the Philippines.....	2.2
2.2	The Climatic Map of the Philippines.....	2.3
2.3	Isohyetal Map of Camiguin Province.....	2.4
2.4	Ombrothermic Diagram of Comvol, Mambajao, Camiguin Province Record Period: 1975-1984.....	2.5
2.5	Geologic Map of Camiguin.....	2.8
3.1	Schematic Presentation of Charge Development at the Site of the Octahedral (a) and Tetrahedral (b) Sheet of Kaolinite.....	3.6
3.2	Generation of Charges by Association or Dissociation of Proton or Hydroxyl Ions (Uehara and Gillman, 1981).....	3.7
3.3	Schematic Representation of Phosphate Fixation on an Iron Oxide Surface.....	3.8
3.4	A Schematic Presentation of Double Layer.....	3.10
3.5	A Schematic Presentation of Stern Layer.....	3.12
3.6	Negative and Positive Charge Curves Illustrating the Position of pH_0 , PZNC, and σ_p (Radcliffe and Gillman, 1985).....	3.17

Figure		Page
3.7	Effect of Forest Clearing and Cultivation on Organic Carbon Contents in Tropical Soil (Jenkinson, 1990 as cited by Baert, 1995).....	3.20
3.8	Charge Curves of some Highly Weathered Soils of the Lower Zaire, Showing Relationships Between CEC_T , CEC_B , AEC and pH.....	3.22
3.9	Influence of the Position of pH on Net Negative and Positive Charge on Variable Charge Components.....	3.25
3.10	Surface charges for topsoil (0-15 cm) samples of an Oxisol derived from metamorphic rocks under rainforest and under sugarcane in southern Cameroon (Van Ranst, 1995)	3.26
3.11	Relationship between Organic Carbon Content and pH_0 for a Number of Basaltic Soils from Western Cameroon and Top Soils of the Lower Zaire.....	3.28
4.1	Location of Profiles Along a Toposequence.....	4.2
5.1	XRD Pattern of Untreated and Acid Oxalate Treated Clay Fraction of Soil 1; A:0-25; B2:95 cm.....	5.15
5.2	XRD Pattern of Untreated and Acid Oxalate Treated Clay Fraction of Soil 1; Ap:0-20; B2:95 cm.....	5.16
5.3	XRD Pattern of Untreated and Acid Oxalate Treated Clay Fraction of Soil 3 and 4.....	5.17

Figure		Page
5.4	XRD Pattern of Untreated and Acid Oxalate Treated Clay Fraction of Soil 5 and 6.....	5.18
5.5	XRD Pattern of Untreated and Acid Oxalate Treated Clay Fraction of Soil 8 and 9.....	5.19
5.6	Organic Carbon Content in Cultivated Soil (Soil 2,8 and 5) and Uncultivated Soil (Soil 1,9 and 6).....	5.33
5.7	Relationship between % Allophane and ΔpH	5.41
5.8	Relationship Between %O.C and pH in the Studied Soils..	5.48
5.9	Charge Properties and Charge Curved in Surface Horizon of Soil 1 and Soil 2.....	5.50
5.10	Charge Curved and Charge Properties at Soil pH and pH_0 in Soil 2 (B horizon, 20-35).....	5.52
5.11	CEC_B , CEC_T , pH and pH_0 of Soil2 and Soil 5 after Three and Nine Months Incubation.....	5.65
5.12	CEC_B , CEC_T , and AEC Over a Range of pH in Soil 2.....	5.71
5.13	CEC_B , CEC_T , and AEC Over a Range of pH in Soil 5.....	5.72
5.14	Sum of Basic Cations in Soil 2 and Soil 5.....	5.89
5.15	Corn in Soil treated with Peat and Ground Basaltic Material at 0, 5, 10, and 20%.	5.96

Figure		Page
5.16	Relationship between Relative Height and Weight (%) and Mg concentration in the Soil Solution	5.101
5.17	Relationship between Relative Height and Weight (%) and Soil Exchangeable Mg.....	5.102
5.18	CEC and Exchangeable Cations of Soils Incubated with Peat and Basalt after Planting Corn	5.104